

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	278	programming same (decod\$4 near10 (programs or algorithms))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L2	16	L1 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L3	4	((("5965863") or ("5900613") or ("5773806") or ("5463214")).PN.	US-PGPUB; USPAT	OR	OFF	2005/03/29 10:08
L4	2	L3 and (menuing near10 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L5	2	L3 and (menuing near30 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L6	3743	(program\$4 or loading or downloading) same (decod\$4 near10 (programs or algorithms))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L7	326	L6 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L8	141	(program\$4 or loading or downloading) same (decod\$4 near10 (programs or algorithms)) same (scanner or reader)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L9	113	L8 and (barcode\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08

L10	140	(program\$4) same (decod\$4 near10 (programs or algorithms)) same (scanner or reader)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L11	112	L10 and (barcode\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L12	113	L9 or L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L13	90	L12 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L14	112	L10 and (barcode or (bar adj1 code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L15	89	L14 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L16	649	menu\$1 near20 (barcode\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L17	313	L16 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08

L18	14	L16 and "235"/\$.ccls. and thien.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L19	11	("4721849"   "4825058"   "4841132"   "4861972"   "4866257"   "4868375"   "5120943"   "5185514"   "5214268"   "5256865"   "5469291").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/29 10:08
L20	278	programming same (decod\$4 near10 (programs or algorithms))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L21	4	((("5965863") or ("5900613") or ("5773806") or ("5463214"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/03/29 10:08
L22	3743	(program\$4 or loading or downloading) same (decod\$4 near10 (programs or algorithms))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L23	326	L22 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L24	141	(program\$4 or loading or downloading) same (decod\$4 near10 (programs or algorithms)) same (scanner or reader)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L25	113	L24 and (barcode\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L26	140	(program\$4) same (decod\$4 near10 (programs or algorithms)) same (scanner or reader)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08

L27	112	L26 and (barcode\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L28	113	L25 or L27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L29	112	L26 and (barcode or (bar adj1 code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L30	649	menu\$1 near20 (barcode\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L31	313	L30 and "235"/\$.cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L32	16	L20 and "235"/\$.cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L33	2	L21 and (menuing near10 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L34	2	L21 and (menuing near30 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08

L35	90	L28 and "235"/\$.cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L36	89	L29 and "235"/\$.cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L37	14	L30 and "235"/\$.cccls. and thien.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L38	11	("4721849"   "4825058"   "4841132"   "4861972"   "4866257"   "4868375"   "5120943"   "5185514"   "5214268"   "5256865"   "5469291").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/29 10:08

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	278	programming same (decod\$4 near10 (programs or algorithms))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L2	16	L1 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L3	4	((("5965863") or ("5900613") or ("5773806") or ("5463214")).PN.	US-PGPUB; USPAT	OR	OFF	2005/03/29 10:08
L4	2	L3 and (menuing near10 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L5	2	L3 and (menuing near30 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L6	3743	(program\$4 or loading or downloading) same (decod\$4 near10 (programs or algorithms))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L7	326	L6 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L8	141	(program\$4 or loading or downloading) same (decod\$4 near10 (programs or algorithms)) same (scanner or reader)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L9	113	L8 and (barcode\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08

L10	140	(program\$4) same (decod\$4 near10 (programs or algorithms)) same (scanner or reader)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L11	112	L10 and (barcode\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L12	113	L9 or L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L13	90	L12 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L14	112	L10 and (barcode or (bar adj1 code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L15	89	L14 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L16	649	menu\$1 near20 (barcode\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L17	313	L16 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08

L18	14	L16 and "235"/\$.ccls. and thien.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L19	11	("4721849"   "4825058"   "4841132"   "4861972"   "4866257"   "4868375"   "5120943"   "5185514"   "5214268"   "5256865"   "5469291").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/29 10:08
L20	278	programming same (decod\$4 near10 (programs or algorithms))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L21	4	((("5965863") or ("5900613") or ("5773806") or ("5463214"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/03/29 10:08
L22	3743	(program\$4 or loading or downloading) same (decod\$4 near10 (programs or algorithms))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L23	326	L22 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L24	141	(program\$4 or loading or downloading) same (decod\$4 near10 (programs or algorithms)) same (scanner or reader)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:26
L25	113	L24 and (barcode\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L26	140	(program\$4) same (decod\$4 near10 (programs or algorithms)) same (scanner or reader)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08

Best Available Copy



L27	112	L26 and (barcode\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L28	113	L25 or L27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L29	112	L26 and (barcode or (bar adj1 code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L30	649	menu\$1 near20 (barcode\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L31	313	L30 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L32	16	L20 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L33	2	L21 and (menuing near10 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L34	2	L21 and (menuing near30 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08

L35	90	L28 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L36	89	L29 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L37	14	L30 and "235"/\$.ccls. and thien.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:08
L38	11	("4721849"   "4825058"   "4841132"   "4861972"   "4866257"   "4868375"   "5120943"   "5185514"   "5214268"   "5256865"   "5469291").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/29 10:08
L39	120	scanning same (decod\$4 near10 (programs or algorithms)) same (scanner or reader)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:26
L40	115	l39 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:26